

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) An electrophoretic display device, comprising:
 - a first substrate and a second substrate disposed opposite to each other with a spacing,
 - a partition wall for dividing the spacing into a plurality of sections, a plurality of electrophoretic particles and an insulating liquid which are disposed in the sections,
 - a first electrode disposed at least between said partition wall and said first substrate, and
 - a second electrode disposed on said second substrate,
 - wherein said first electrode ~~has an adhesive property~~ is made of an adhesive resin.
2. (currently amended) A device according to Claim 1, wherein said ~~first electrode is an~~ adhesive resin ~~comprising~~ comprises at least one material selected from the group consisting of an electroconductive polymer, metal powder, metal fiber, electroconductive oxide powder, electroconductive oxide fiber, carbon powder, carbon fiber, graphite, graphite fiber, and electroconductive fiber.
3. (original) A device according to Claim 1, wherein the first substrate has a surface opposite to the first substrate and surface has been subjected to primer treatment.

4. (original) A device according to Claim 1, wherein the first substrate is provided with a recess in a position contacting partition wall and the first electrode is disposed in the recess.

5. (currently amended) ~~A device according to Claim 1, wherein the first electrode is disposed on a surface of the first substrate other than the position between the partition wall and the first substrate.~~

An electrophoretic display device, comprising:

a first substrate and a second substrate disposed opposite to each other with a spacing,

a partition wall for dividing the spacing into a plurality of sections,

a plurality of electrophoretic particles and an insulating liquid which are disposed in the sections,

a first electrode disposed on a surface of the first substrate other than the position between the partition wall and the first substrate, and

a second electrode disposed on said second substrate,

wherein said first electrode is made of an adhesive resin.

6. (original) A device according to Claim 1, wherein the first electrode is an adhesive sheet disposed to cover the partition wall and the insulating liquid.

7. (original) A device according to Claim 1, wherein the insulating liquid and the plurality

of electrophoretic particles are encapsulated in a capsule and disposed in the spacing so that an outer wall of the capsule constitutes the partition wall.